



GRASPOINTNER  
Sustainable innovation.



Technology  
in harmony  
with nature.

BG-FILCOTEN garden

self  
light  
spot

Landscaping and Domestic Drainage Solutions

# Projects



## BG-FILCOTEN self, nominal width 100 mm / 4"

Channel made of FILCOTEN HPC (High Performance Concrete) incl. galvanized slotted heelproof gratings

Item no.	Product	Load class	Weight	Pc./pallet
10710200	FILCOTEN self channel NW 100, 1000/122/98 mm (39.37/4.8/3.86 in) complete with A15 galvanized slotted heelproof grating	A15	8,6 kg / 19.0 lb	48
10710290	FILCOTEN self sump unit NW100, L=500 mm, with outlet DN 100, complete with A15 galvanized slotted heelproof grating and slit bucket	A15	17,8 kg / 39.2 lb	10
19010221	FILCOTEN self NW100 front-/end cap, closed, galvanized		0,1 kg / 0.2 lb	1
19010290	FILCOTEN self NW100 conic vertical outlet DN100, for corrugated pipe, galvanized		0,3 kg / 0.7 lb	1



galvanized slotted heelproof grate  
SW 5/80, cl. A15 kN



## BG-FILCOTEN light, nominal width 150 mm / 6"


Channel made of FILCOTEN HPC (High Performance Concrete) up to class C, gratings lockable

Item no.	Channel body with safety joint	Slope	Weight	Pc./pallet
10315000	FILCOTEN light NW 150, 1000/180/150 mm (39.37/7.1/5.9 in)	0,0 %	20,6 kg / 45.4 lb	20

## Gratings and accessories

for BG-FILCOTEN light, nominal width 150 mm / 6"


Item no.	Gratings	Load class	Weight	Pc./pallet
17015200	light galvanized steel slotted grating 1000/178/3, SW 8/130	A15	2,5 kg / 5.5 lb	128
17015201	light galvanized steel slotted grating 500/178/3, SW 8/130	A15	1,3 kg / 2.9 lb	48
17015210	light galvanized steel mesh grating 1000/178/2, MW 30/10	B125	4,6 kg / 10.1 lb	100
17015211	light galvanized steel mesh grating 500/178/2, MW 30/10	B125	2,3 kg / 5.1 lb	48
17015100	light ductile iron mesh grating 500/178/7, MW 15/28	C250	4,6 kg / 10.1 lb	200
Item no.	Accessories	Material	Weight	Pc./pallet
10315092	light sump unit 500/195/650 incl. pipe coupling DN 150 and plastic sediment bucket	FILCOTEN HPC	45,3 kg / 99.9 lb	8
19015230	light front cap	galvanized steel	0,5 kg / 1.1 lb	
19015232	light end cap with outlet DN 100	galvanized steel	0,4 kg / 0.9 lb	
19011204	light 4" no-hub bottom outlet (100 mm)	galvanized steel	0,3 kg / 0.7 lb	



slotted grating **NW 150** SW 8/130, class A, galvanized steel



mesh grating **NW 150** MW 30/10, class B, galvanized steel



mesh grating **NW 150** MW 15/28, class C, ductile iron



## BG-FILCOTEN spot

Yard drainage made of FILCOTEN HPC (High Performance Concrete) incl. cast iron frame - up to class B125

Item no.	BG-FILCOTEN spot incl. cast iron frame / class A15 - B125	L/W/H	Weight	Pc./pallet
14130102	spot incl. cast iron frame, ductile iron grating (EN-GJS) with fiX-locking, radial design, odour trap and sediment bucket	300/300/450 mm 12/12/18 in	26,7 kg / 58.9 lb	16



GRASPOINTNER  
Sustainable innovation.

BG-Graspointner Inc.  
642 de Courcelle, suite 206  
Montréal (QC), H4C 3C5  
Canada

Phone: +1 514 932 5445

E-Mail: [sales.ca@bg-graspointner.com](mailto:sales.ca@bg-graspointner.com)

Web: [www.bg-graspointner.com](http://www.bg-graspointner.com)

